

Product Specification Sheet

FORMAT NO.: INT/DSN/F/44, REV.NO.: 0
EFT. DATE: 17/05/11

Product/Model: STORAGE WITH
CUSHIOING (PEDESTAL)

Godrej interio

SPECIFICATION OF NOVA RANGE OF FREE STANDING LOW HEIGHT PEDESTALS WITH CUSHIOING

Sl. No	Feature or parameter	Specification
1.	Drawer Configuration / Product Size / styling	<ul style="list-style-type: none">Box-File 395 (w) X 595 (d) X 569 (h*)3 Box 395 (w) X 595 (d) X 569 (h*)Over closing <p>* 569= 60mm Castor+ 451shell+58mm Cushioning</p>
2.	Construction & Material	<p>§ Welded Assembled</p> <p>§ 0.8 thk CRCA for Body Shell, Drawer Front & tray, Front Side Stiffener, Rear Side Stiffener & Bottom</p> <p>§ 1.2 thk CRCA Top Stiffener & Bottom stiffener</p>
3.	Drawer Fronts	<p>§ Metal Front Straight Edge</p> <p>§ 18 thk Wooden (PLB) Front Straight Edge / PVC Lipping on all Edges</p>
4.	Drawer Specification	<p>§ All Drawers with Double extension precision ball slide</p> <p>§ 390 wide Pedestals File drawer - suitable for storing Fullscape Godrej Ezee & Visa files in Depth wise manner. A4 files in width wise manner</p> <p>§ In 585 deep units, 1 no of File hanger provided in File Drawer</p> <p>§ For Drawer pulling, side wise tapered recess provided in shell behind Drawer Fronts.</p>
5.	Locking	<ul style="list-style-type: none">10 lever Cam Lock & Central RH locking with actuator & lock channel mechanism for 'Box-File' & '3 Box' Pedestals.10 lever Cam Lock with individual RH locking for '3 Box' Pedestals.
6.	Cushioning	<ul style="list-style-type: none">Cushioning has wooden base covered with Slab stock foam and has leatherite upholstery
7.	Castors	<ul style="list-style-type: none">Swiveling lockable Castors mounted below the body shell.
8.	Anti-tipping	<ul style="list-style-type: none">Fifth roller arrangement mounted below File drawer to avoid toppling of unit when file drawer is pulled out.
9.	Partition in Drawer	<ul style="list-style-type: none">1 no. Partition in Box Drawers with lock mounted
10.	Plastic Pencil tray	<ul style="list-style-type: none">Optional Accessory
11.	Finish	<ul style="list-style-type: none">Epoxy Polyester Powder coated to the thickness of 50 microns (+/-10).
12.	Packing	<ul style="list-style-type: none">Assembled unit packed in Corrugated carton with thermocol edge fitments

*Overall assembly dimensions may vary with in ± 3 mm.

DOC No.: DOS120471

REV:A0

DATE:29.09.11

PAGE: 1 OF 4


Product Specification Sheet

FORMAT NO.: INT/DSN/F/44, REV.NO.:0
EFT. DATE:17/05/11


Product/Model: STORAGE WITH CUSHIONING (PEDESTAL)

Greedy Interio



METAL FRONT
STRAIGHT EDGE



WOODEN FRONT
STRAIGHT EDGE



METAL FRONT
STRAIGHT EDGE



*Overall assembly dimensions may vary with in $\pm 3\text{mm}$.

DOC No.: DOS120471

REV: A0

DATE:-29.09.11

PAGE: - 2 of 4

Product Specification Sheet

FORMAT NO.: INT/DSN/F/44, REV.NO.: 0
EFT. DATE: 17/05/11

Product/Model: STORAGE WITH
CUSHIOING (UNITE LFC)

Godrej interio

Specification of Unite LFC Unit (Modular) **WITH CUSHIOING**

Feature	Specifications
Unit size	Width: 755, 905, 1055 mm Height: 502*mm (1 Drawer Units) Depth: 455mm *- 502 = Skirting 125mm + 305mm body + 72mm Cushioing
Construction & Material	Knockdown construction. Prime Quality CRCA 0.8mm thk for all the body panels and shelves.
Drawer Specification	<ul style="list-style-type: none">Drawer is mounted through High quality Full extension precision Ball Slides for Smooth movement.File Hanger (1 no / drawer) – for anchoring Ezee files in side to side – lateral direction.Counter weights are added in back panel to avoid topplingAnti-rebound mechanism in slides prevents drawer from coming out again after it is pushed in.Uniformly Distributed Load Capacity per drawer (tested as per BIFMA Standard) : § 750 Wide – 26 Kg, 900 Wide – 32 Kg, 1050 Wide – 37 Kg § No of Godrej Ezee Files (20 mm thick) which can be stored per Drawer: 750 Wide: 33 nos., 900 Wide: 41 nos., 1050 Wide: 48 nos.
Drawer Front Options	Metal or Wood (18 mm PLB)
Handle	<ul style="list-style-type: none">Aesthetically appealing recessed plastic handle for Metal & wooden Drawer fronts.
Locking Mechanism	Cam lock with shooting bolt arrangement (Central locking for 2/3/4 Drawer units)
Cushioning	Cushioning has wooden base covered with Slab stock foam and has leatherite upholstery
Skirting Options	125 mm High
Leveler	Screw type adjustable Leveler with plastic base (Add in unit height min. 18 mm & additional 10 mm adjustment)
Finish:	Epoxy polyester powder coating finish 50 +/- 10 microns.
Back panel	Unit has Metal Back Panel 0.8 CRCA

* Overall assembly dimensions may vary with in ±3mm.

DOC No.: DOS120471

REV: A0

DATE: 29.09.11



PAGE: 3 OF 4

Product Specification Sheet

FORMAT NO.: INT/DSN/F/44, REV.NO.:0
EFT. DATE:17/05/11

Product/Model: STORAGE WITH CUSHIONING (UNITE LFC)

Greedy Interio



PROD WIDTH	
W1	W2
750	755
900	905
1050	1055

*Overall assembly dimensions may vary with in $\pm 3\text{mm}$.

DOC No.: DOS120471

REV:AO

DATE:-29.09.11

PAGE: - 4 of 4