





SENATE (Membrane Foil):


This modular conference table can be custom . made to meet the requirement of presentation Hall, Boardroom or Conference room.



12-SEATER



12-SEATER WITH WIRE CARRIER



Revised on 19.06.12
All dimensions are in mm and are subject to change.



Size

	Dimensions (mms)	
Single Seater	760 W	600 D
Two Seater	1360 W	600 D
Half Round (2 Seater)	R 713	--
Quarter Round (1 Seater)	R 713	--

Total 9 basic modules.

Refer diagrams for angular tops.

Specifications:

#	Elements	Specifications
Tops	Work surface	Top thickness 31.6 (18mm + 12mm + 0.6 mm DL(both sides) + 0.4mm Membrane) Edge profile Waterfall Edge 10mm radius on top edge and 5mm at bottom.
	Legs	Made from 25mm PPB having a straight profile with half round edges and clad with 0.6mm thick Post Forming laminate. Overall thickness of leg is 26.2mm.
Understructure	Modesty Panel	Made from PLT (Prelaminated Twin) boards of 18mm thick.
Wire Manager	Wire Carrier	Made from 0.6mm thick CRCA painted.
	Carrier Cover	Made of 12mm thk. MDF Painted all over.










Material

Substrate	MDF
Skin	PVC Membrane foil (0.4mm thk) clad on the substrate MDF using PU glue for better adhesion. This foil is pre-coated with layer of polyurethane for better scratch resistance.


Senate (Membrane Foil):

This modular Conference table can be custom made to meet the requirement of presentation hall, Boardroom or Conference room.







Configurations:




RECEPTION MODULE




INTERACTIVE MODULE




CONFERENCE MODULE




CLOSE INTERACTION MODULE OPTION-1




CLOSE INTERACTION MODULE OPTION-4




CLOSE INTERACTION MODULE OPTION-2



CLOSE INTERACTIONMODULE OPTION-5



CLOSE INTERACTION MODULE OPTION-3



DISCUSSION MODULE