

# WE'VE PUT IN LESS, SO YOU CAN **DERIVE** MORE!





An initiative by Godrej Interio 1st Indian furniture company with GREENGUARD Certified products

LOCAL ADDRESS

Godrej interio

North: Delhi, Chandigarh, NCR, Jaipur, Lucknow South: Chennai, Bengaluru, Hyderabad, Kochi, Vizag West: Mumbai, Ahmedabad, Bhopal, Pune, Raipur INTERNATIONAL: Sharjah (UAE), Riyadh (Kingdom of Saudi Arabia) In keeping with the Godrej policy of continuous development and improvements, the dimensions and specifications may be changed without prior notice or obligations. All dimensions are in mm and are subject to commercial tolerances. Colour options depicted in this catalogue are as close to what modern printing processes allow.

derive

Interio Division, Plant-4, Pirojshanagar Vikhroli, Mumbai-400 079. Tel: +91-22-6796 1700/1800. Fax: +91-22-6796 1503. Toll Free Number: 1-800-2095511. Website: www.godrejinterio.com Email: interiooffice@godrej.com







# OPTIMUM PERFORMANCE. EXTRAORDINARY DESIGN.

# **FEATURES**

- Spine and Fin combination optimizes floor space and provides value.
- Removable skins allows for an easy to change look and feel for the workspace.
- Range of tile heights can be given without disturbing the existing installation.
- Standard tile sizes allow mix and match for a more personalized look.
- Various worktop profiles, worksurface edge options, tile options, sizes, colours and finishes available.
- Concealed wire management for neat under table spaces.
- Easy integration is possible with UNITE storage.
- The exposed edges of the frames have alluminium trims with flat profiles, redefining system slimness.

# SLIM STRUCTURE, STYLISH DESIGN



## **ACCESSORIES**

Workstation mounted accessories allow enhanced space utilization which includes file-holder and pen & pencil holder.



# **OVERHEAD STORAGE**

The spacious overhead storage unit with door facilitates space optimization and gives and organized look and feel to the entire space.





# **GLASS TILE**

Glass tiles in the structure add lightness and slimnessnes to the entire system.



# **SLIM PENINSULAR LEG**


Slim peninsular leg is synergistic with the overall system.





# DIFFERENT PROFILES


The contemporary curvilinear work surface design provides a modern look to the entire system.

# **DERIVE MODULES**












# **WIRE MANAGEMENT**



Slots provided on the frame vertical upright for passing of wires from one frame to other











Cable flow at intermediate raceway level




Bottom fascia in open condition




Entry of wires through slots in the frame bottom horizontal

# Slot details


Cables passing through slot provided in vertical upright



Cables entering through slot provided in the bottom horizontal



Power Cable ø10.0, Qty.= 14



# PRODUCT SPECIFICATIONS


# Partition panels


Frames

Normal Frames: Width: min 300mm - max 1200mm Height: min 784mm - max 1698mm

Additional Normal Frames: Width: 1350mm & 1500mm Height: 1089mm,1241mm,1394mm

Width: min 300mm - max 1500mm Height: 306mm, 458mm, 611mm (Extendable up to 1650mm in combinations mentioned:






# Partition Panels

Extension Frames:


Tiles

- Laminated, Fabric, Tackable, Plain Metal, Perforated Metal Tile, White Board, Glass White Board
- · Clear glass, Frosted Glass, Poly Carbonate Sheet

Width: min 300mm - max 1200mm Height: min 300mm - max 750mm



# Side panels





Size:447Dx700H x25THK 597Dx700H x25THK Size:597.5D1 x450D2x700H x25THK

Size:450Dx450H1 x700Hx25THK

### Work Surface

Width: min 450mm - max 1800mm Depth: min 450mm - max 750mm Edge Profile: PVC Edge banded

> : 'T' Edge banded : Postform Edge\*

Postform edge can be provided only for Rectangular & Pentagonal Worksurfaces.




120° Pentagonal

Pentagonal

Peninsular



Semi circular



Curvilinear Pentagonal

Quarter circle

### Storages

Nova Drawer Unit Range Drawer Configuration:

- 1 Box drawer + 1 Filing drawer
- 2 Box drawers + 1 Filing drawer
- 4 Eq. Box drawers
- Drawer Front Finish:
- Metal front Wooden Postform front Wooden PVC Edge banded front



Freestanding

Overhead Storage





Freestanding



Freestanding



### Accessories

Overhead Storage Unit (Mounted on panel only) Height: 450mm Depth: 350mm Width: 600mm to 1200mm

Other accessories:

- Key Board Tray (Plastic/metal)
- Panel Mounted Accessories
- CPU Trolley






Plastic KBPT





Pen holder





File holder

Accessories mounted

on slatted tile



\*All the dimension in mm are approximate. For exact dimension please contact sales person or email. Dimension can be given on request.